

Department of Origin: Integrated Healthcare Services	Effective Date: 09/28/23
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 09/22/23
Clinical Policy Document: Ventricular Assist Devices (VAD) and Total Artificial Heart (TAH)	Replaces Effective Clinical Policy Dated: 09/13/22
Reference #: MC/A006	Page: 1 of 7

PURPOSE:

The intent of this clinical policy is to ensure care is medically necessary.

Please refer to the member's benefit document for specific information. To the extent there is any inconsistency between this policy and the terms of the member's benefit plan or certificate of coverage, the terms of the member's benefit plan document will govern.

POLICY:

Benefits must be available for health care services. Health care services must be ordered by a provider. Health care services must be medically necessary, applicable conservative treatments must have been tried, and the most cost-effective alternative must be requested for coverage consideration.

GUIDELINES:

Medical Necessity Criteria – Must satisfy any of the following: I or II

- I. Ventricular assist devices (VAD) – must satisfy the following: A or B, and none of C
 - A. Initial Request - any of the following: 1-3
 1. Bridge to recovery – all of the following: a and b
 - a. Member has a potentially reversible condition (eg, cardiogenic shock, cardiomyopathy, myocarditis, following cardiac surgery when the patient cannot be weaned from cardiopulmonary bypass [post-cardiotomy]); and
 - b. Device is being used according to the FDA-approved labeling instructions.
 2. Bridge to transplant – either of the following: a or b
 - a. Adults - both of the following: 1) and 2)
 - 1) Approved for or are undergoing evaluation for heart transplantation; and
 - 2) Device is being used according to the FDA-approved labeling instructions.
 - b. Children – both of the following: 1) and 2)
 - 1) Approved for or are undergoing evaluation for heart transplantation due to left ventricular/biventricular dysfunction; and
 - 2) Device is being used according to the FDA-approved labeling instructions – either of the following: a) or b0
 - a) Berlin Heart EXCOR Pediatric Left or Biventricular Assist Device for children aged 16 years or younger – must satisfy one of the following: i or ii
 - i. Left ventricular support – member has severe *New York Heart Association (NYHA) Class IV* (or Ross Functional Class IV for subjects equal to or less than 6 years of age) heart failure refractory to optimal medical therapy; or
 - ii. Biventricular support – member has cardiomyopathy, repaired structural heart disease (eg, anomalous left coronary artery from the pulmonary artery [ALCAPA], aortic stenosis) or acquired heart disease (eg, myocarditis, Kawasaki disease).
 - b) HeartAssist 5 Pediatric Left Ventricular Assist Device for children aged 5 to 16 years – member has *NYHA Class IV* end-stage heart failure refractory to medical therapy.

Department of Origin: Integrated Healthcare Services	Effective Date: 09/28/23
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 09/22/23
Clinical Policy Document: Ventricular Assist Devices (VAD) and Total Artificial Heart (TAH)	Replaces Effective Clinical Policy Dated: 09/13/22
Reference #: MC/A006	Page: 2 of 7

3. Destination therapy for adults - all of the following: a - e
 - a. Not a candidate for heart transplantation; and
 - b. Device is being used according to the FDA-approved labeling instructions; and
 - c. *NYHA Class IV* end-stage ventricular heart failure; and
 - d. Demonstrates any of the following: 1) – 3)
 - 1) Failure to respond to optimal medical management for at least 60 days; or
 - 2) Failure to respond to a trial of intraaortic balloon pump (IABP) management; or
 - 3) IV inotrope dependent for 14 days.
 - e. Left ventricular ejection fraction (LVEF) less than or equal to 25%.

[Note: Although the HeartWare Ventricular Assist Device is only approved as a bridge to transplant, due to its small size, it may also be considered medically necessary as *destination therapy* when required due to the member's anatomy, where criteria for destination therapy are met and its use for the member is not part of a clinical trial.]

- B. Replacement/upgrade/device exchange – Member currently has an axial (eg, HeartMate II [HMII]) or centrifugal continuous-flow (hVAD) pump with evidence of pump thrombosis – requesting upgrade to a magnetically levitated centrifugal continuous-flow pump (eg, HeartMate 3) that is FDA-approved for the requested indication.
- C. Contraindications - none of the following: 1 - 8
 1. Heart failure that can be reasonably expected to recover without mechanical circulatory support (ie, VAD); or
 2. Major comorbid illness that is anticipated to limit survival to < 2 years - such as any of the following: a - d
 - a. An advanced malignancy
 - b. Severe and irreversible hepatic disease, ie, cirrhosis not expected to improve with long term mechanical circulatory support (ie, VAD)
 - c. Severe lung disease (including pulmonary arterial hypertension that is not related to chronic heart failure, not World Health Organization group II)
 - d. Severe neurological or neuromuscular disorder
 3. Acute valvular infective endocarditis with bacteremia; or
 4. Detailed neurocognitive evaluation is advised in patients with cognitive impairment to ascertain ability to comprehend and manage the VAD; or
 5. History of non-adherence with demonstrated inability to comply with medical recommendations on multiple occasions that has not been successfully remediate; or
 6. Active and uncontrolled alcohol and substance abuse; or
 7. Neuromuscular disease that severely compromises the ability to use and care for external system components or to ambulate and exercise; or
 8. Current pregnancy.

Department of Origin: Integrated Healthcare Services	Effective Date: 09/28/23
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 09/22/23
Clinical Policy Document: Ventricular Assist Devices (VAD) and Total Artificial Heart (TAH)	Replaces Effective Clinical Policy Dated: 09/13/22
Reference #: MC/A006	Page: 3 of 7

II. Total Artificial Heart, temporary (Syncardia TAH-t) – must satisfy: A, and none of B

- A. All of the following: 1 - 3
1. Device is used as a bridge to transplantation; and
 2. Approved for or is undergoing evaluation for heart transplantation; and
 3. At risk of imminent death from biventricular failure
- B. Contraindications – none of the following: 1 - 2
1. Insufficient space in chest area
 2. Cannot be adequately anticoagulated on the TAH-t

[Note: If VAD or TAH-t approved, send referral to reinsurance/stop loss.]

EXCLUSIONS (not limited to):

Refer to member's Certificate of Coverage or Summary Plan Description

Artificial heart for destination therapy (permanent), totally implantable is considered investigative (see Investigative List)

DEFINITIONS:

Bridge to Recovery:

A mechanical circulatory device used short-term (usually up to 2 weeks) to support a patient with a potentially reversible cardiac condition

Bridge to Transplant:

A ventricular assist device or total artificial heart is used to maintain cardiac function while the patient waits for a heart transplant

Destination Therapy:

A ventricular assist device is used to sustain life when the patient is not a candidate for a heart transplant, and there is no plan for a heart transplant

Dyscrasia:

An imbalance in blood components

New York Heart Association (NYHA) Classification:

- Class I: patients with no limitation of activities; they suffer no symptoms from ordinary activities.
- Class II: patients with slight, mild limitation of activity; they are comfortable with rest or with mild exertion.
- Class III: patients with marked limitation of activity; they are comfortable only at rest.
- Class IV: patients who should be at complete rest, confined to bed or chair; any physical activity brings on discomfort and symptoms occur at rest.

Department of Origin: Integrated Healthcare Services	Effective Date: 09/28/23
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 09/22/23
Clinical Policy Document: Ventricular Assist Devices (VAD) and Total Artificial Heart (TAH)	Replaces Effective Clinical Policy Dated: 09/13/22
Reference #: MC/A006	Page: 4 of 7

Ventricular Assist Device (VAD):

A mechanical pump that's used to support heart function and blood flow in people who have weakened hearts. The device takes blood from a lower chamber of the heart and helps pump it to the body and vital organs, just as a healthy heart would.

BACKGROUND:

The U.S. Food and Drug Administration (FDA) approved devices include, but may not be limited to, the following:

- Ventricular Assist Devices
 - o Bridge to recovery (short-term): AbioMed AB5000, AbioMed BVS5000, Centrimag RVAD, Thoratec IVAD, Thoratec VAD System, HeartMate 3 LVAD
 - o Bridge to transplant: AbioMed AB5000, HeartMate II, HeartMate 3, HeartMate IP, HeartMate SNAP VE LVAS, HeartMate VE LVAS, HeartMate XVE LVAS, HeartWare VAS, Thoratec IVAD, Thoratec VAD System
 - o Bridge to transplant (pediatric): EXCOR Pediatric VAD, HeartAssist 5 Pediatric VAD (formerly known as DeBakey VAD Child)
 - o Destination therapy: AbioMed BVS5000, HeartMate II, HeartMate 3, HeartMate SNAP VE LVAS
- Total Artificial Heart - temporary (TAH-t): Syncardia

Department of Origin: Integrated Healthcare Services	Effective Date: 09/28/23
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 09/22/23
Clinical Policy Document: Ventricular Assist Devices (VAD) and Total Artificial Heart (TAH)	Replaces Effective Clinical Policy Dated: 09/13/22
Reference #: MC/A006	Page: 5 of 7

Prior Authorization: Yes, per network provider agreement.

Precertification: Yes

CODING:

CPT®

33927 Implantation of a total replacement heart system (artificial heart) with recipient cardiectomy

33928 Removal and replacement of total replacement heart system (artificial heart)

33975 Insertion of ventricular assist device; extracorporeal, single ventricle

33976 Insertion of ventricular assist device; extracorporeal, biventricular

33979 Insertion of ventricular assist device; implantable intracorporeal, single ventricle

33981 Replacement of extracorporeal ventricular assist device, single or biventricular pump(s), single or each pump

33982 Replacement of ventricular assist device pump(s), single or biventricular pump(s), single ventricle, without cardiopulmonary bypass

33983 Replacement of ventricular assist device pump(s), implantable intracorporeal, single ventricle, with cardiopulmonary bypass

CPT codes copyright 2023 American Medical Association. All Rights Reserved. CPT is a trademark of the AMA. The AMA assumes no liability for the data contained herein

REFERENCES:

1. Integrated Healthcare Services Process Manual: UR015 Use of Medical Policy and Criteria
2. Clinical Policy: MP/C009 Coverage Determination Guidelines
3. Clinical Policy: MP/H008 FDA-Approved Humanitarian Use Devices
4. Clinical Policy: MP/I001 Investigative Services
5. Mehra MR, Goldstein DJ, Uriel N, et al. Two-Year Outcomes with a Magnetically Levitated Cardiac Pump in Heart Failure. *N Engl J Med* 2018; 378:1386-1395
6. Centrimag Right Ventricular Assist System (RVAS). Retrieved from <https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfhde/hde.cfm?id=h070004>. Accessed 05-23-23.
7. Impella RP System. Retrieved from <https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfpma/pma.cfm?id=P170011>. Accessed 05-23-23.
8. American Heart Association. Implantable medical devices. 2015. American Heart Association Web site. <https://www.heart.org/en/health-topics/heart-attack/treatment-of-a-heart-attack/implantable-medical-devices>. Accessed 05-23-23.
9. Jeevanandam V, Eisen HJ, Pinto DS. Short-term mechanical circulatory assist devices. (Topic 1492, Version 32.0 last updated: 08/31/22) In: Dardas TF, ed. *UpToDate*. Waltham, Mass.: UpToDate; 2020. www.uptodate.com. Accessed 05-24-23.
10. Berlin Heart. EXCOR Pediatric VAD. Ventricular Assist Device with Stationary Driving Unit Ikus Rev. 2.1 for Pediatric Use. Instructions for Use Rev. 5. 2011. Retrieved from https://www.accessdata.fda.gov/cdrh_docs/pdf10/H100004c.pdf. Accessed 05-23-23.
11. Centers for Medicare & Medicaid Services (CMS). National Coverage Determination (NCD) for Ventricular Assist Devices (20.9.1). Effective Date 12/01/2020. Retrieved from <https://www.cms.gov/medicare-coverage-database/view/ncd.aspx?ncdid=360&ncdver=2> Accessed 05-23-23.

Department of Origin: Integrated Healthcare Services	Effective Date: 09/28/23
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 09/22/23
Clinical Policy Document: Ventricular Assist Devices (VAD) and Total Artificial Heart (TAH)	Replaces Effective Clinical Policy Dated: 09/13/22
Reference #: MC/A006	Page: 6 of 7

12. Mancini D. Management of long-term mechanical circulatory support devices. (Topic 87834, Version 23.0; last updated: 07/22/22) In: Dardas TF and Tirnauer JS, eds. *UpToDate*. Waltham, Mass.: UpToDate; 2023. www.uptodate.com. Accessed 05-24-23.
13. MedlinePlus. Ventricular assist device. 2022. U.S. National Library of Medicine. <https://medlineplus.gov/ency/article/007268.htm>. Accessed 05-23-23.
14. National Heart Lung and Blood Institute (NHLBI). What is Total Artificial Heart? NHLBI Web site. Last updated March 24, 2022. Retrieved from <https://www.nhlbi.nih.gov/health/health-topics/topics/vad/>. Accessed 05-23-23.
15. Syncardia temporary Total Artificial Heart (TAH-t). Summary of Safety Effectiveness Date (SSED). 2004. Retrieved from https://www.accessdata.fda.gov/cdrh_docs/pdf3/P030011B.pdf. Accessed 05-24-23.
16. EXCOR Pediatric Ventricular Assist Device (EXCOR Berlin Heart). Summary of Safety and Probable Benefit. 2011. Retrieved from https://www.accessdata.fda.gov/cdrh_docs/pdf10/H100004B.pdf. Accessed 05-24-23.
17. HeartAssist 5. Summary of Safety and Probable Benefit. 2004. Retrieved from https://www.accessdata.fda.gov/cdrh_docs/pdf3/H030003B.pdf. Accessed 05-24-23.
18. Kirklin JK, Pagani FD, Goldstein DJ, et al. American Association for Thoracic Surgery/International Society for Heart and Lung Transplantation guidelines on selected topics in mechanical circulatory support. *J Heart Lung Transplant*. 2020 Mar;39(3):187-219.
19. Khazanie P and Rogers JG. Patient selection for left ventricular assist devices. *Congestive Heart Failure* 2011;17(5):227-34.
20. Peura JL, Colvin-Adams M, Francis GS, et al. American Heart Association Heart Failure and Transplantation Committee of the Council on Clinical Cardiology; Council on Cardiopulmonary, Critical Care, Perioperative and Resuscitation; Council on Cardiovascular Disease in the Young; Council on Cardiovascular Nursing; Council on Cardiovascular Radiology and Intervention, and Council on Cardiovascular Surgery and Anesthesia. Recommendations for the use of mechanical circulatory support: device strategies and patient selection: a scientific statement from the American Heart Association. *Circulation*. 2012 Nov 27;126(22):2648-67.
21. Thangappan K, Ashfaq A, Villa C, Morales DLS. The total artificial heart in patients with congenital heart disease. *Ann Cardiothorac Surg*. 2020;9(2):89-97.
22. Bernhardt AM, Copeland H, Deswal A, et al. Task Force 1; Task Force 2; Task Force 3; Task Force 4. The International Society for Heart and Lung Transplantation/Heart Failure Society of America Guideline on Acute Mechanical Circulatory Support. *J Card Fail*. 2023 Mar;29(3):304-374.
23. Cogswell R, Cantor RS, Vorovich E, et al. HVAD to Heartmate 3 device exchange: A Society of Thoracic Surgeons Intermacs analysis. *Ann Thorac Surg*. 2022 Nov;114(5):1672-1678. \
24. O'Connor MJ, Lorts A, Davies RR, et al. Early experience with the HeartMate 3 continuous-flow ventricular assist device in pediatric patients and patients with congenital heart disease: A multicenter registry analysis. *J Heart Lung Transplant*. 2020 Jun;39(6):573-579.
25. Lorts A, Conway J, Schweiger M, et al. ISHLT consensus statement for the selection and management of pediatric and congenital heart disease patients on ventricular assist devices Endorsed by the American Heart Association. *J Heart Lung Transplant*. 2021 Aug;40(8):709-732.
26. Birks EJ. Treatment of advanced heart failure with a durable mechanical circulatory device. (Topic 3459, Version 47.0; last updated: 07/22/22) In: Dardas TF, ed. *UpToDate*. Waltham, Mass.: UpToDate; 2023. www.uptodate.com. Accessed 07-27-23.

Department of Origin: Integrated Healthcare Services	Effective Date: 09/28/23
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 09/22/23
Clinical Policy Document: Ventricular Assist Devices (VAD) and Total Artificial Heart (TAH)	Replaces Effective Clinical Policy Dated: 09/13/22
Reference #: MC/A006	Page: 7 of 7

DOCUMENT HISTORY:

Created Date: 2/11/01
Reviewed Date: 09/27/05, 09/25/07, 06/21/12, 06/21/13, 06/09/14, 06/09/15, 06/09/16, 06/09/17, 06/08/18, 06/07/19, 06/06/20, 06/07/21, 05/25/22, 05/23/23
Revised Date: 09/27/05, 09/26/06, readopted on 06/24/2011, 06/09/14, 08/04/15, 07/15/16, 07/11/17, 07/31/18, 07/12/19, 06/10/22, 06/23/23
Retired Date: 08/11/08

PreferredOne Community Health Plan Nondiscrimination Notice

PreferredOne Community Health Plan (“PCHP”) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. PCHP does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

PCHP:

Provides free aids and services to people with disabilities to communicate effectively with us, such as:

- Qualified sign language interpreters
- Written information in other formats (large print, audio, accessible electronic formats, other formats)

Provides free language services to people whose primary language is not English, such as:

- Qualified interpreters
- Information written in other languages

If you need these services, contact a Grievance Specialist.

If you believe that PCHP has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Grievance Specialist
PreferredOne Community Health Plan
PO Box 59052
Minneapolis, MN 55459-0052
Phone: 1.800.940.5049 (TTY: 763.847.4013)
Fax: 763.847.4010
customerservice@preferredone.com

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, a Grievance Specialist is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services
200 Independence Avenue, SW
Room 509F, HHH Building
Washington, D.C. 20201
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

Language Assistance Services

ATTENTION: If you do not speak English, language assistance services, free of charge, are available to you. Call 1.800.940.5049 (TTY: 763.847.4013).

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1.800.940.5049 (TTY: 763.847.4013).

LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1.800.940.5049 (TTY: 763.847.4013).

XIYYEEFFANNAA: Afaan dubbattu Oroomiffa, taiaa jiila qarqaarsa afaanii, kanfaltiidhaan ala, ni argama. Bilbilaa 1.800.940.5049 (TTY: 763.847.4013).

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1.800.940.5049 (TTY: 763.847.4013).

注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1.800.940.5049 (TTY: 763.847.4013)。

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1.800.940.5049 (телетайп: 763.847.4013).

ໂບດຊາບ: ຖ້າວ່າທ່ານເວົ້າພາສາລາວ, ການບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາ, ໂດຍບໍ່ເສຍຄ່າ, ແມ່ນມີພ້ອມໃຫ້ທ່ານ. ໂທ 1.800.940.5049 (TTY: 763.847.4013).

ማስታወሻ: የሚናገሩት ቋንቋ አማርኛ ከሆነ የትርጉም እርዳታ ድርጅቶች፣ በነጻ ሊያግዝዎት ተዘጋጅተዋል፡ ወደ ሚከተለው ቁጥር ይደውሉ 1.800.940.5049 (መስማት ለተሳናቸው፡ 763.847.4013) .

ဟ်သ့ဟ်သး- နမာ်ကတိ၊ ကညီ ကိုက်အယံ၊ နမာ် ကိုက်အတၢ်မၤစၢၤလၢ တလၢ်ဘျၣ်လၢ်စၢၤ နီတမံၤဘၣ်သန့လီၤ. ကိ: 1.800.940.5049 (TTY: 763.847.4013).

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1.800.940.5049 (TTY: 763.847.4013).

ប្រយ័ត្ន៖ បើសិនជាអ្នកនិយាយ ភាសាខ្មែរ, សេវាជំនួយផ្នែកភាសា ដោយមិនគិតល្បួល គឺអាចមានសំរាប់បំរើអ្នក។ ចូរ ទូរស័ព្ទ 1.800.940.5049 (TTY: 763.847.4013)។

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1.800.940.5049 (رقم هاتف الصم والبكم: 763.847.4013).

ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1.800.940.5049 (TTY: 763.847.4013).

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1.800.940.5049 (TTY: 763.847.4013), 번으로 전화해 주십시오.

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1.800.940.5049 (TTY: 763.847.4013).

PreferredOne Insurance Company Nondiscrimination Notice

PreferredOne Insurance Company ("PIC") complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. PIC does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

PIC:

Provides free aids and services to people with disabilities to communicate effectively with us, such as:

- Qualified sign language interpreters
- Written information in other formats (large print, audio, accessible electronic formats, other formats)

Provides free language services to people whose primary language is not English, such as:

- Qualified interpreters
- Information written in other languages

If you need these services, contact a Grievance Specialist.

If you believe that PIC has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Grievance Specialist
PreferredOne Insurance Company
PO Box 59212
Minneapolis, MN 55459-0212
Phone: 1.800.940.5049 (TTY: 763.847.4013)
Fax: 763.847.4010
customerservice@preferredone.com

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, a Grievance Specialist is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services
200 Independence Avenue, SW
Room 509F, HHH Building
Washington, D.C. 20201
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

Language Assistance Services

ATTENTION: If you do not speak English, language assistance services, free of charge, are available to you. Call 1.800.940.5049 (TTY: 763.847.4013).

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1.800.940.5049 (TTY: 763.847.4013).

LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1.800.940.5049 (TTY: 763.847.4013).

XIYEEFFANNAA: Afaan dubbattu Oroomiffa, tajaajila gargaarsa afaanii, kanfaltiidhaan ala, ni argama. Bilbilaa 1.800.940.5049 (TTY: 763.847.4013).

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1.800.940.5049 (TTY: 763.847.4013).

注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1.800.940.5049 (TTY: 763.847.4013)。

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1.800.940.5049 (телетайп: 763.847.4013).

បំពេញ: ប្រសិនបើ អ្នកនិយាយភាសាខ្មែរ, សេវាជំនួយភាសា ដោយមិនគិតថ្លៃ គឺអាចមានសំរាប់អ្នក។ ហៅ 1.800.940.5049 (TTY: 763.847.4013)។

ማስታወሻ: የሚናገሩት ቋንቋ አማርኛ ከሆነ የትርጉም እርዳታ ድርጅቶች፡ በነጻ ሊያገኙበት ተዘጋጅተዋል፡ ወደ ሚከተለው ቁጥር ይደውሉ 1.800.940.5049 (ማስማት ለተሳናቸው: 763.847.4013)፡፡

ဟံသာဝတီ: နမူနာတို့ ကညီ ကျိအသိ, နမူနာ ကျိအတိအကျတို့ တလက်ကွက်လက်စွာ နှိတ်မိသည့်သို့လည်း ကိ: 1.800.940.5049 (TTY: 763.847.4013).

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1.800.940.5049 (TTY: 763.847.4013).

ប្រយ័ត្ន: បើសិនជាអ្នកនិយាយភាសាខ្មែរ, សេវាជំនួយភាសា ដោយមិនគិតថ្លៃ គឺអាចមានសំរាប់អ្នក។ ហៅ 1.800.940.5049 (TTY: 763.847.4013)។

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1.800.940.5049 (رقم هاتف الصم والبكم: 763.847.4013).

ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1.800.940.5049 (TTY: 763.847.4013).

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1.800.940.5049 (TTY: 763.847.4013). 번으로 전화해 주십시오.

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1.800.940.5049 (TTY: 763.847.4013).