Department of Origin:	Effective Date:
Integrated Healthcare Services	09/28/23
Approved by:	Date approved:
Medical Policy Quality Management Subcommittee	09/28/23
Clinical Policy Document:	Replaces Effective Clinical Policy Dated:
Behavioral Health, Autism Spectrum Disorders in	09/13/22
Children: Assessment, Evaluation and Treatment	
Reference #:	Page:
MC/M026	1 of 8

PURPOSE:

The intent of this clinical policy is to ensure care is medically necessary.

Please refer to the member's benefit document for specific information. To the extent there is any inconsistency between this policy and the terms of the member's benefit plan or certificate of coverage, the terms of the member's benefit plan document will govern.

POLICY:

Benefits must be available for health care services. Health care services must be ordered by a provider. Health care services must be medically necessary, applicable conservative treatments must have been tried, and the most cost-effective alternative must be requested for coverage consideration.

GUIDELINES:

Medical Necessity Criteria - Must satisfy the following: I, and II or III

- I. Assessment and Evaluation documentation that the following evaluation(s) support a *DSM autism spectrum disorder* (ASD) diagnosis must satisfy all of the following: A B
 - A. Evaluation performed by a team of health care professionals who are experienced in diagnosing ASD. This team may include the following:
 - 1. Child Psychiatrist
 - 2. Child Psychologist or Neuropsychologist
 - 3. Developmental pediatrician
 - 4. Speech-Language Pathologist
 - B. Evaluation includes documentation of all of the following:
 - 1. Review of developmental history and progress of development
 - 2. Symptoms of concern that interfere with functioning (such as, but not limited to, social, education and family functioning)
 - 3. An assessment of all of the following in more than one setting (such as, but not limited to home and school)
 - a. Use of imaginative play, stereotypic behaviors, narrow range of interests
 - b. Communication
 - c. Social interaction and relationships
 - d. Behaviors/responses to the environment
 - e. Functional impairment based on objective test scores and clinical observations of functioning
- II. Initial treatment for ASD must satisfy the following: A C
 - A. Member is at least age 2 and younger than age 18 (unless otherwise specified in state regulation).

Department of Origin:	Effective Date:
Integrated Healthcare Services	09/28/23
Approved by:	Date approved:
Medical Policy Quality Management Subcommittee	09/28/23
Clinical Policy Document:	Replaces Effective Clinical Policy Dated:
Behavioral Health, Autism Spectrum Disorders in	09/13/22
Children: Assessment, Evaluation and Treatment	
Reference #:	Page:
MC/M026	2 of 8

- B. Treatment requirements must satisfy all of the following: 1 6
 - 1. Treatment is ordered by a provider with expertise in child development, and
 - 2. Treatment is delivered by a provider that meets state regulatory guidelines and is practicing within the scope of the provider's professional license; and
 - 3. Treatment is supervised by a provider that meets state regulatory guidelines, who is a licensed physician, advanced practice nurse, or a mental health professional, and is practicing within the scope of the provider's professional license; and
 - 4. A formal assessment of the child's developmental skills, functional behavior, needs, and capacities is performed within the first 60 days and at least yearly, thereafter; and
 - 5. The member is directly observed by the licensed provider at least once every two months; and
 - 6. The majority of treatment is provided when the parent or legal guardian is present and engaged.
- C. Proposed services are based on a comprehensive individualized treatment plan (ITP) documentation of all of the following: 1 9, and 10, as applicable
 - 1. Treatment strategies and services with specific cognitive, social, communicative, self-care, or behavioral goals/ behavioral change and management of associated symptoms such as aggression or self-injury, sleep problems, activity level, and safety; and
 - 2. Persons responsible for each behavioral change strategy, including collaborating applied behavioral therapist, language therapist and allied therapists responsible for specific aspects of behavioral change and development progression. Strategies involve parents as well as school personnel, when appropriate; and
 - 3. Measurable, functional goals with time frames that are clearly defined, directly observed, and continually measured; and
 - 4. Include training and consultation, participation in team meetings and active involvement of the member's family and treatment team for implementation of the therapeutic goals developed by the team; and
 - 5. Are provided in an environment most conducive to achieving the goals of the ITP; and
 - 6. An expectation of improvement within a clinically reasonable time frame that is due to the treatment rendered, and not what would be expected in the usual growth and development for the individual if no treatment was provided; and
 - 7. Projected time frames for care with clear criteria for discharge from services; and
 - 8. Plan for transitioning care from the licensed provider when treatment plan goals are met; and
 - 9. Where applicable, previous and current therapy treatment plans provided by other providers for the purpose of coordinating care and avoiding duplication of services.

Department of Origin:	Effective Date:
Integrated Healthcare Services	09/28/23
Approved by:	Date approved:
Medical Policy Quality Management Subcommittee	09/28/23
Clinical Policy Document:	Replaces Effective Clinical Policy Dated:
Behavioral Health, Autism Spectrum Disorders in	09/13/22
Children: Assessment, Evaluation and Treatment	
Reference #:	Page:
MC/M026	3 of 8

- 10. For early intensive-level behavioral and developmental therapy (EIBDT), the treatment plan includes at least 20 hours per week and not more than 40 hours per week of therapy (unless otherwise specified in state regulation).
- III. Continued intensive-level behavioral and developmental therapy (EIBDT) treatment member continues to meet initial treatment criteria must also have documentation of the following: A E
 - A. A progress evaluation is conducted at least every six months by a mental health professional who has *expertise in child development* and training in autism (formal assessment/standardized testing is done at least yearly) with documented evidence of sustained improvement and progress on stated goals demonstrated by improvement in the targeted abnormal findings, symptoms and/or behaviors of concern measured by the same method used for the initial evaluation; and
 - B. The documented improvement is due to the treatment rendered and not what would be expected in the usual growth and development for the individual if no treatment was provided; and
 - C. Care continues to be medically necessary due to a continued, demonstrated significant delay in function; and
 - D. Appropriate modifications to treatment plan are implemented; and
 - E. Documented plans for tapering and discontinuation of service from the licensed provider(s).
- IV. Discharge criteria any of the following: A E
 - A. Treatment is no longer provided by a licensed provider; or
 - B. Ongoing treatment is primarily *custodial* or *maintenance* in nature and/or does not require the services of a licensed provider; or
 - C. There is insufficient progress being made to justify further treatment; or
 - D. Member has met the treatment plan goals; or
 - E. The duration of therapy has met state regulatory requirements for coverage.

EXCLUSIONS (not limited to):

Refer to member's Certificate of Coverage or Summary Plan Description

- I. Evaluation/assessment services that are considered investigative (see Investigative List): A I
 - A. Allergy testing
 - B. Erythrocyte glutathione peroxidase studies
 - C. Event-related brain potentials
 - D. Intestinal permeability studies
 - E. Magnetoencephalography/magnetic source imaging
 - F. Neuroimaging studies such as CT, MRI, MRS, SPECT, and fMRI
 - G. Provocative chelation tests for mercury
 - H. Stool analysis

Department of Origin:	Effective Date:
Integrated Healthcare Services	09/28/23
Approved by:	Date approved:
Medical Policy Quality Management Subcommittee	09/28/23
Clinical Policy Document:	Replaces Effective Clinical Policy Dated:
Behavioral Health, Autism Spectrum Disorders in	09/13/22
Children: Assessment, Evaluation and Treatment	
Reference #:	Page:
MC/M026	4 of 8

- I. Tests for celiac antibodies, immunologic or neurochemical abnormalities, micronutrients such as vitamin levels, metallathioneim protein assessment, mitochondrial disorders including lactate and pyruvate, thyroid function, and urinary peptides, 6 central carbon metabolites LC-MS/MS
- II. Treatment services that are considered investigative (see Investigative List): A J
 - A. Auditory Integration Therapy
 - B. Chelation therapy
 - C. Cognitive rehabilitation
 - D. Elimination diets
 - E. Facilitated communication
 - F. Holding therapy
 - G. Hyperbaric Oxygen Therapy
 - H. Immune globulin infusion
 - I. Metallothionein protein treatment
 - J. Nutritional supplements such as megavitamins, high-dose pyridoxine and magnesium

DEFINITIONS:

Autism Spectrum Disorder:

A range of complex neurodevelopmental disorders, characterized by persistent deficits in social communication and interaction across multiple contexts, restricted repetitive patterns of behavior, interests, or activities, symptoms that are present in the early developmental period, that cause clinically significant impairment in social, occupational, or other important areas of functioning, and are not better explained by intellectual disability or global developmental delay. Such disorders are determined by criteria set forth in the most recent edition of the Diagnostic and Statistical Manual of Mental Disorders of the American Psychiatric Association.

Child Development Expertise:

Evidence includes, but limited to, board certification/board eligible in developmental and behavioral pediatrics, fellowship/clinical experience, undergraduate focus in neurobiology or behavior, research involvement, professional/specialty society appointment/membership, and relevant published literature.

Custodial Care:

Services to assist in activities of daily living and personal care that do not seek to cure or do not need to be provided or directed by a skilled medical professional, such as assistance in walking, bathing and feeding.

DSM:

The most current edition of the American Psychiatric Association Diagnostic and Statistical Manual of Mental Health Disorders.

Early Intensive Behavioral and Developmental Therapy (EIBDT):

EIBDT is intensive and highly individualized with up to 40 hours per week of one to one direct teaching, initially using discrete trials to teach simple skills and progressing to more complex skills such as initiating verbal behavior. For purposes of this criteria document, early intensive behavioral and developmental therapy (EIBDT) includes, but is not limited to, applied behavior analysis (ABA), intensive early intervention behavior therapy (EIBT), and intensive behavioral intervention (IBI).

Department of Origin:	Effective Date:
Integrated Healthcare Services	09/28/23
Approved by:	Date approved:
Medical Policy Quality Management Subcommittee	09/28/23
Clinical Policy Document:	Replaces Effective Clinical Policy Dated:
Behavioral Health, Autism Spectrum Disorders in	09/13/22
Children: Assessment, Evaluation and Treatment	
Reference #:	Page:
MC/M026	5 of 8

Habilitative Therapy:

Therapy provided to develop initial functional levels of movement, strength, daily activity or speech.

Homebound:

A member is considered homebound if they are unable to leave home without a considerable and taxing effort due to a medical condition. A person may leave home for episodic medical treatment or short, infrequent absences for non-medical reasons, to attend a funeral, religious service, or graduation; an occasional trip to the barber, a walk around the block; or other infrequent or unique event (eg, a family reunion or other such occurrence.) A member's inability to drive or lack of transportation does not qualify the member for homebound status.

Maintenance Care:

Care that is not *habilitative* or *rehabilitative* therapy and there is a lack of documented significant progress in functional status over a reasonable period of time; performed to maintain clinical status without the ability to expect further clinical improvement, ie, two weeks or more between a therapy session.

Rehabilitative Therapy:

Therapy provided to restore functional levels of movement, strength, daily activity or speech after a sickness or injury.

Training in Autism:

Evidence includes, but not limited to, fellowship/clinical experience, educational background focusing on Autism Spectrum Disorders, research involvement, professional/specialty society appointment/membership, and relevant published literature.

BACKGROUND:

Behavioral therapy programs used to treat autism spectrum disorders are referred to as Intensive Behavioral Intervention (IBI), Early Intensive Behavioral Intervention (EIBI), or Applied Behavior Analysis (ABA) including Lovaas therapy. This therapy involves highly structured teaching techniques that are administered on a one-to-one basis by a trained therapist, paraprofessional, and/or parent 25 to 40 hours per week for 2 to 3 years. In classic IBI therapy, the first year of treatment focuses on reducing selfstimulatory and aggressive behaviors, teaching imitation responses, promoting appropriate toy play, and extending treatment into the family. In the second year, expressive and abstract language is taught, as well as appropriate social interactions with peers. Treatment in the third year emphasizes development of appropriate emotional expression, pre-academic tasks, and observational learning from peers involved in academic tasks. In an IBI therapy session, the child is directed to perform an action. Successful performance of the task is rewarded with a positive reinforcer, while noncompliance or no response receives a neutral reaction from the therapist. Although once a component of the original Lovaas methodology, aversive consequences are no longer used. This instructional method is known as "discrete trial discrimination learning and compliance." Food is usually most effective as a positive reinforcer for autistic children, although food rewards are gradually replaced with "social" rewards, such as praise, tickles, hugs, or smiles. Parental involvement is considered essential to long-term treatment success; parents are taught to continue behavioral modification training when the child is at home, and may sometimes act as the primary therapist.

Treatment of autism spectrum disorders requires multidisciplinary management. Optimal treatment and reimbursement is available through a programmatic approach.

PreferredOne®

Department of Origin:	Effective Date:
Integrated Healthcare Services	09/28/23
Approved by:	Date approved:
Medical Policy Quality Management Subcommittee	09/28/23
Clinical Policy Document:	Replaces Effective Clinical Policy Dated:
Behavioral Health, Autism Spectrum Disorders in	09/13/22
Children: Assessment, Evaluation and Treatment	
Reference #:	Page:
MC/M026	6 of 8

If requesting physical, occupational, or speech therapy services, see medical policy(ies): Occupational and Physical Therapy: Outpatient Setting(MC/N003) or Speech Therapy: Outpatient Setting (MC/N004).

Department of Origin:	Effective Date:
Integrated Healthcare Services	09/28/23
Approved by:	Date approved:
Medical Policy Quality Management Subcommittee	09/28/23
Clinical Policy Document:	Replaces Effective Clinical Policy Dated:
Behavioral Health, Autism Spectrum Disorders in	09/13/22
Children: Assessment, Evaluation and Treatment	
Reference #:	Page:
MC/M026	7 of 8

Prior Authorization: No

REFERENCES:

- 1. Integrated Healthcare Services Process Manual: UR015 Use of Medical Policy and Criteria
- 2. Clinical Policy: Coverage Determination Guidelines MP/C009
- 3. Clinical Policy: Home Health Services, Intermittent MC/N007
- 4. Clinical Policy: Investigative Services MP/I001
- 5. Clinical Policy: Occupational and Physical Therapy MC/N003
- 6. Clinical Policy: Speech Therapy: Outpatient Setting MC/N004
- 7. American Psychiatric Association. Diagnostic and Statistical Manual of Mental Disorders Fifth Edition. 2013.
- American Academy of Child and Adolescent Psychiatry. Practice Parameter for the Assessment and Treatment of Children and Adolescents with Autism Spectrum Disorder [archived]. Journal of the American Academy of Child & Adolescent Psychiatry. 2014;53(2). Retrieved from <u>https://www.aacap.org/AACAP/Resources_for_Primary_Care/Practice_Parameters_and_Resource_Centers/Practice_Parameters.aspx</u>. Accessed 06-12-23.
- 9. American Academy of Pediatrics. Management of children with autism spectrum disorders. *Pediatrics* 2007; 120; 1162. doi: 10.1542/peds.2007-2362. Reaffirmed September 2010 and August 2014.
- 10. American Academy of Pediatrics. Sensory integration therapies for children with developmental and behavioral disorders. *Pediatrics* 2012;129;1186; doi: 10.1542/peds.2012-0876
- 11. National Institute of Mental Health. Autism Spectrum Disorder. Last Revised: March 2022. Retrieved from https://www.nimh.nih.gov/health/topics/autism-spectrum-disorders-asd. Accessed 06-12-23.
- NIH National Institute of Neurological Disorders and Stroke (NINDS). Autism Spectrum Disorder Information Page. Last Reviewed: January 20, 2023. Retrieved from <u>https://www.ninds.nih.gov/Disorders/All-Disorders/Autism-Spectrum-Disorder-Information-Page</u>. Accessed 06-12-23.
- NIH National Institute of Neurological Disorders and Stroke (NINDS). Pervasive Developmental Disorders Information Page. Last Reviewed: January 23, 2023. Retrieved from <u>https://www.ninds.nih.gov/Disorders/All-Disorders/Pervasive-Developmental-Disorders-Information-Page</u>. Accessed 06-12-23.
- NIH National Institute of Neurological Disorders and Stroke (NINDS). Rett Syndrome Information Page. Last Reviewed: April 11, 2023. Retrieved from <u>https://www.ninds.nih.gov/Disorders/All-Disorders/Rett-Syndrome-Information-Page</u>. Accessed 06-12-23.
- NIH National Institute of Neurological Disorders and Stroke (NINDS). Tourette Syndrome Information Page. Last Reviewed: February 01, 2023. Retrieved from <u>https://www.ninds.nih.gov/Disorders/All-Disorders/Tourette-Syndrome-Information-Page</u>. Accessed 06-12-23.
- 16. Ospina MB, Krebs Seida, J Clark B, et al. Behavioural and developmental interventions for autism spectrum disorder: a clinical systematic review. *PLoS One* 2008; 3:e3755.
- Weissman L. Autism spectrum disorder in children and adolescents: Behavioral and educational interventions. (Topic 607, Version 40.0; last updated: 04/27/22.) In: Blake D, ed. UpToDate. Waltham, Mass.: UpToDate; 2023. <u>www.uptodate.com</u>. Accessed 06-19-23.
- Weitlauf AS, McPheeters ML, Peters B, et al. Therapies for Children with Autism Spectrum Disorder: Behavioral Interventions Update [Internet]. Rockville (MD): Agency for Healthcare Research and Quality (US); 2014 Aug. (Comparative Effectiveness Review, No. 137.) Discussion. Available from: <u>https://www.ncbi.nlm.nih.gov/books/NBK241447/</u>. Accessed 06-12-23.

PreferredOne®

Department of Origin:	Effective Date:
Integrated Healthcare Services	09/28/23
Approved by:	Date approved:
Medical Policy Quality Management Subcommittee	09/28/23
Clinical Policy Document:	Replaces Effective Clinical Policy Dated:
Behavioral Health, Autism Spectrum Disorders in	09/13/22
Children: Assessment, Evaluation and Treatment	
Reference #:	Page:
MC/M026	8 of 8

DOCUMENT HISTORY:

Created Date: 08/04/20 (previously MP/A005, MC/M020, MC/M025) Reviewed Date: 07/01/21, 06/20/22, 06/12/23 Revised Date:

PreferredOne Community Health Plan Nondiscrimination Notice

PreferredOne Community Health Plan ("PCHP") complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. PCHP does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

PCHP:

Provides free aids and services to people with disabilities to communicate effectively with us, such as:

- Qualified sign language interpreters
- Written information in other formats (large print, audio, accessible electronic formats, other formats)

Provides free language services to people whose primary language is not English, such as:

- Qualified interpreters
- Information written in other languages

If you need these services, contact a Grievance Specialist.

If you believe that PCHP has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Grievance Specialist PreferredOne Community Health Plan PO Box 59052 Minneapolis, MN 55459-0052 Phone: 1.800.940.5049 (TTY: 763.847.4013) Fax: 763.847.4010 customerservice@preferredone.com

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, a Grievance Specialist is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at https://ocrportal.hhs.gov/ocr/portal/lobby.jsf, or by mail or phone at:

U.S. Department of Health and Human Services 200 Independence Avenue, SW Room 509F, HHH Building Washington, D.C. 20201 1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at http://www.hhs.gov/ocr/office/file/index.html.

Language Assistance Services

ATTENTION: If you do not speak English, language assistance services, free of charge, are available to you. Call 1.800.940.5049 (TTY: 763.847.4013). ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1.800.940.5049 (TTY: 763.847.4013) LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1.800.940.5049 (TTY: 763.847.4013). XIYYEEFFANNAA: Afaan dubbattu Oroomiffa, tajaajila gargaarsa afaanii, kanfaltiidhaan ala, ni argama. Bilbilaa 1.800.940.5049 (TTY: 763.847.4013). CHÚ Ý: Nếu ban nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho ban. Goi số 1.800.940,5049 (TTY: 763.847.4013). 注意:如果您使用繁體中文,您可以免費獲得語言援助服務。請致電 1.800.940.5049 (TTY: 763.847.4013)。 ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1.800.940.5049 (телетайп: 763.847.4013). ໂປດຊາບ: ຖ້າວ່າ ທ່ານເວົ້າພາສາ ລາວ, ການບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາ, ໂດຍບໍ່ເສັຽຄ່າ, ແມ່ນມີພ້ອມໃຫ້ທ່ານ. ໂທຣ 1.800.940.5049 (TTY: 763.847.4013). ማስታወሻ: የሚናንሩት ቋንቋ አማርኛ ከሆነ የትርጉም እርዳታ ድርጅቶች፣ በነጻ ሊያግዝዎት ተዘጋጀተዋል፡ ወደ ሚከተለው ቁጥር ይደውሉ 1.800.940.5049 (መስጣት ለተሳናቸው: 763 847 4013). ဟ်သူဉ်ဟ်သး– နမ့်၊ကတိ၊ ကညီ ကျိဉ်အယိ, နမၤန္ခ၊ ကျိဉ်အတါမၢစၢးလ၊ တလက်ဘူဉ်လက်စ္၊ နီတမံးဘဉ်သူနှဉ်လီး. ကိး 1.800.940.5049 (TTY: 763.847.4013). ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1.800.940.5049 (TTY: 763.847.4013) ប្រយ័ត្ន៖ បើសិនជាអ្នកនិយាយ ភាសាខ្មែរ, សេវាជំនួយផ្នែកភាសា ដោយមិនកិតឈូល គឺអាចមានសំរាប់បំរើអ្នក។ ចូរ ទូរស័ព្ទ 1.800.940.5049 (TTY: 763.847.4013).។ ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1.800.940.504 (رقم هاتف الصم والبكم: 763.847.4013). ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1.800.940.5049 (TTY: 763.847.4013). 주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1,800,940,5049 (TTY: 763,847,4013), 번으로 전화해 주십시오. PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1.800.940.5049 (TTY: 763.847.4013).

PreferredOne Insurance Company Nondiscrimination Notice

PreferredOne Insurance Company ("PIC") complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. PIC does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

PIC:

Provides free aids and services to people with disabilities to communicate effectively with us, such as:

- Qualified sign language interpreters
- Written information in other formats (large print, audio, accessible electronic formats, other formats)

Provides free language services to people whose primary language is not English, such as:

- Qualified interpreters
- Information written in other languages

If you need these services, contact a Grievance Specialist.

If you believe that PIC has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Grievance Specialist PreferredOne Insurance Company PO Box 59212 Minneapolis, MN 55459-0212 Phone: 1.800.940.5049 (TTY: 763.847.4013) Fax: 763.847.4010 customerservice@preferredone.com

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, a Grievance Specialist is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <u>https://ocrportal.hhs.gov/ocr/portal/lobby.jsf</u>, or by mail or phone at:

U.S. Department of Health and Human Services 200 Independence Avenue, SW Room 509F, HHH Building Washington, D.C. 20201 1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at http://www.hhs.gov/ocr/office/file/index.html.

Language Assistance Services

ATTENTION: If you do not speak English, language assistance services, free of charge, are available to you. Call 1.800.940.5049 (TTY: 763.847.4013). ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1.800.940.5049 (TTY: 763.847.4013) LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1.800.940.5049 (TTY: 763.847.4013). XIYYEEFFANNAA: Afaan dubbattu Oroomiffa, tajaajila gargaarsa afaanii, kanfaltiidhaan ala, ni argama. Bilbilaa 1.800.940.5049 (TTY: 763.847.4013). CHÚ Ý: Nếu ban nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho ban. Goi số 1.800.940,5049 (TTY: 763.847.4013). 注意:如果您使用繁體中文,您可以免費獲得語言援助服務。請致電 1.800.940.5049 (TTY: 763.847.4013)。 ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1.800.940.5049 (телетайп: 763.847.4013). ໂປດຊາບ: ຖ້າວ່າ ທ່ານເວົ້າພາສາ ລາວ, ການບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາ, ໂດຍບໍ່ເສັຽຄ່າ, ແມ່ນມີພ້ອມໃຫ້ທ່ານ. ໂທຣ 1.800.940.5049 (TTY: 763.847.4013). ማስታወሻ: የሚናንሩት ቋንቋ አማርኛ ከሆነ የትርጉም እርዳታ ድርጅቶች፣ በነጻ ሊያግዝዎት ተዘጋጀተዋል፡ ወደ ሚከተለው ቁጥር ይደውሉ 1.800.940.5049 (መስጣት ለተሳናቸው: 763 847 4013). ဟ်သူဉ်ဟ်သး– နမ့်၊ကတိ၊ ကညီ ကျိဉ်အယိ, နမၤန္ခ၊ ကျိဉ်အတါမၢစၢးလ၊ တလက်ဘူဉ်လက်စ္၊ နီတမံးဘဉ်သူနှဉ်လီး. ကိး 1.800.940.5049 (TTY: 763.847.4013). ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1.800.940.5049 (TTY: 763.847.4013) ប្រយ័ត្ន៖ បើសិនជាអ្នកនិយាយ ភាសាខ្មែរ, សេវាជំនួយផ្នែកភាសា ដោយមិនកិតឈូល គឺអាចមានសំរាប់បំរើអ្នក។ ចូរ ទូរស័ព្ទ 1.800.940.5049 (TTY: 763.847.4013).។ ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1.800.940.504 (رقم هاتف الصم والبكم: 763.847.4013). ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1.800.940.5049 (TTY: 763.847.4013). 주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1,800,940,5049 (TTY: 763,847,4013), 번으로 전화해 주십시오. PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1.800.940.5049 (TTY: 763.847.4013).